IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of.:

David COLIEN

Serial No.:

10/565,552

Filed:

January 23, 2006

For:

EMERGENCY SITUATION

DETECTOR

Attorney Docket:

31291

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SUBMISSION OF INTERNATIONAL PRELIMINARY EXAMINATION REPORT, (IPER)

999999999999

Sir:

This is further to the National Phase filing of the above-referenced Patent Application.

Enclosed is the International Preliminary Examination Report, (IPER) dated August 7, 2006, received from the US Patent Office on parent PCT Application No. PCT/IL2004/000288.

Respectfully submitted,

Martin D. Moynihan

Registration No. 40,338

Date: September 18, 2006

PATENT COOPERATION TREATY



INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

GAL EHRLICH C/O ANTHONY CASTORINA 2001 JEFFERSON DAVIS HIGHWAY, SUITE 207 ARLINGTON, VA 22202

PCT

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 71.1)

Date of Mailing (day/month/year)

07 AUG 2006...

Applicant's or agent's file reference IMPORTANT NOTIFICATION International application No. International filing date (day/month/year) Priority date (day/month/year) 08 March 2004 (08.03.2004) PCT/IL04/00288 29 March 2004 (29.03.2004) Applicant

COHEN, DAVID

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/US

Mail Stop PCT, Attn: IPEA/ US Commissioner for Patents

P.O. Box 1450 Alexandria, Virginia 22313-1450

Facsimile No. (571) 273-3201

Authorized officer Daniel WU

Telephone No.

Ugenia Zogi

Form PCT/IPEA/416 (July 1992)

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTION	See Notificati Preliminary E	on of Transmittal of International xamination Report (Form PCT/IPEA/416)
International application No.	International filing date (day/m	onth/year)	Priority date (day/month/year)
PCT/IL04/00288	29 March 2004 (29.03.2004)		08 March 2004 (08.03.2004)
International Patent Classification (IPC)			
IPC: G08B 23/00 (2006.01) USPC: 340/575,576,573.5,539.12;600/	483,508,481,485,440		
Applicant		•	
COHEN, DAVID			
Examining Authority and i	ary examination report has be s transmitted to the applicant	according to Art	icle 36.
2. This REPORT consists of	a total of $\frac{2}{7}$ sheets, including	this cover sheet	•
which have been amen before this Authority (nded and are the basis for this see Rule 70.16 and Section 60	report and/or she	scription, claims and/or drawings eets containing rectifications made strative Instructions under the PCT).
These annexes consist of a	total of 1 sheets.		
3. This report contains indica	tions relating to the following	items:	
I Basis of the repo	órt -		
II Priority			•
III Non-establishme	ent of report with regard to no	velty, inventive	step and industrial applicability
IV Lack of unity of	invention		
V Reasoned statem applicability; cit	nent under Article 35(2) with a ations and explanations suppo	regard to novelty orting such stater	, inventive step or industrial nent
VI Certain documen	nts cited		
VII Certain defects i	n the international application	ı	
VIII Certain observat	ions on the international appl	ication	
Date of submission of the demand	Dat	e of completion	of this report
14 July 2005 (14.07.2005)	06.	fuly 2006 (06.07.2	006)
Name and mailing address of the IPEA/U	S Aut	horized officer	D
Mail Stop PCT, Attn: IPEA/ US Commissioner for Patents	Da	niel Previl	Kullenia Zogan
P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (571) 273-3201	Tele	ephone No. 571 2	72 2600

Form PCT/IPEA/409 (cover sheet)(July 1998)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.	
PCT/IL04/00288	

I.	Basis	s of the report
1.	With	regard to the elements of the international application:*
		the international application as originally filed.
	\boxtimes	the description:
		pages 1-10 as originally filed
		pages NONE, filed with the demand pages NONE, filed with the letter of
	\boxtimes	the claims:
	لاسكا	pages 11, 13-20 as originally filed
		pages NONE, as amended (together with any statement) under Article 19 pages 12, filed with the demand
		pages NONE, filed with the letter of
	\boxtimes	the drawings
	_	pages 1-2, as originally filed
		pages NONE, filed with the demand
•		the sequence listing part of the description:
	لــا	pages NONE as originally filed
		pages NONE , filed with the demand
2	337:4L	pages NONE, filed with the letter of regard to the language, all the elements marked above were available or furnished to this Authority in the
2.	lang	uage in which the international application was filed, unless otherwise indicated under this item.
	Thes	e elements were available or furnished to this Authority in the following language which is:
		the language of a translation furnished for the purposes of international search (under Rule23.1(b)).
		the language of publication of the international application (under Rule 48.3(b)).
		the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).
3.	With inter	regard to any nucleotide and/or amino acid sequence disclosed in the international application, the national preliminary examination was carried out on the basis of the sequence listing:
		contained in the international application in printed form.
		filed together with the international application in computer readable form.
		furnished subsequently to this Authority in written form.
		furnished subsequently to this Authority in computer readable form.
	Ш	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
•		The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.
4.	\boxtimes	The amendments have resulted in the cancellation of
		the description, pages None
		the claims, Nos. NONE
		the drawings, sheets/fig NONE
5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**
thi	s repo	sement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in rt as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17). eplacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IL04/00288

. STATI	EMENT	· .	•
	Marialty (M)	Claims 32-42, 65	YI
	Novelty (N)	Claims 1-31, 43-64, 66-69	NO NO
		Clams 1-31, 43-04, 00-09	
	Inventive Step (IS)	Claims NONE	YE
	mvenuve step (15)	Claims 1-69	NO
	•		
	Industrial Applicability (IA)	Claims 1-69	YI
	The state of the s	Claims NONE	N
		-	
egarding hit for rec hit, for co hysical re- nergency	eiving body physical reaction data from t mparing stress level information and phy- action in subject; said apparatus being op situation and to enter an alarm state (col.	•	tress input unit and physical inpu taneous stress level change and a to infer the presence of an
egarding of the formal interpretation of the	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from t imparing stress level information and physication in subject; said apparatus being op situation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches	the subject, a comparator unit, associated with sical reaction data, to detect substantially simultaneous detection 6, lines 15-40). The resholding is a thresholding of changes (col. 6, of attachment to subject (col. 6, line 57). The pulse rate information, breathing, sweat, sleep of discloses physical input comprises an acceleration.	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67).
egarding and the control of the cont	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from tomparing stress level information and physication in subject; said apparatus being opsituation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches claims 10-21, 29-31, 51-64, 66-67, Nissila units placed on subjects, alarm, audio characteristics.	ne subject, a comparator unit, associated with sical reaction data, to detect substantially simularable to threshold said simultaneous detection 6, lines 15-40). The sholding is a thresholding of changes (col. 6, of attachment to subject (col. 6, line 57). The substantial input comprises an acceleration of the state of the sta	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67). ometer, input unit is responsive to 488). body sensor for location on a sable in combination with said ru
egarding it for rec it, for co ysical re- nergency egarding egarding egarding egarding egarding msmitter	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from tomparing stress level information and physication in subject; said apparatus being opsituation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches claims 10-21, 29-31, 51-64, 66-67, Nissila units placed on subjects, alarm, audio characteristics.	the subject, a comparator unit, associated with sical reaction data, to detect substantially simularable to threshold said simultaneous detection 6, lines 15-40). The subject (col. 6, line 57). The subject (col. 6, line 57). The subject information, breathing, sweat, sleep of a discloses physical input comprises an acceleration (col. 7, lines 1-62). The subject (col. 6, line 57).	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67). ometer, input unit is responsive to the stress of the stress
egarding it for rec it, for co ysical re- nergency egarding egarding egarding egarding egarding msmitter	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from tomparing stress level information and physication in subject; said apparatus being opsituation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches claims 10-21, 29-31, 51-64, 66-67, Nissila units placed on subjects, alarm, audio characteristics and the step of the claims 32-42, 65, Prezioso teaches a system subject being expected to follow certain to detect non-compliance with behavior	ne subject, a comparator unit, associated with sical reaction data, to detect substantially simularable to threshold said simultaneous detection 6, lines 15-40). The sholding is a thresholding of changes (col. 6, of attachment to subject (col. 6, line 57). The substantial input comprises an acceleration of the state of the sta	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67). cometer, input unit is responsive to the stress of the stress
garding it for recit, for co ysical reasers garding garding garding garding garding garding marmitter gaims 32-garding oject, the sed logic	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from tomparing stress level information and physication in subject; said apparatus being opsituation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches claims 10-21, 29-31, 51-64, 66-67, Nissila units placed on subjects, alarm, audio characteristics and the step of the claims 32-42, 65, Prezioso teaches a system subject being expected to follow certain to detect non-compliance with behavior	ne subject, a comparator unit, associated with sical reaction data, to detect substantially simularable to threshold said simultaneous detection 6, lines 15-40). The sholding is a thresholding of changes (col. 6, of attachment to subject (col. 6, line 57). The substantial input comprises an acceleration of the state of the sta	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67). ometer, input unit is responsive to 488). body sensor for location on a sable in combination with said ru
egarding it for rec it, for co ysical remergency egarding egarding egarding egarding egarding egarding egarding estates 32-egarding bject, the sed logic	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from tomparing stress level information and physication in subject; said apparatus being opsituation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches claims 10-21, 29-31, 51-64, 66-67, Nissila units placed on subjects, alarm, audio characteristics and the step of the claims 32-42, 65, Prezioso teaches a system subject being expected to follow certain to detect non-compliance with behavior	ne subject, a comparator unit, associated with sical reaction data, to detect substantially simularable to threshold said simultaneous detection 6, lines 15-40). The sholding is a thresholding of changes (col. 6, of attachment to subject (col. 6, line 57). The substantial input comprises an acceleration of the state of the sta	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67). ometer, input unit is responsive to 488). body sensor for location on a sable in combination with said ru
egarding it for rec it, for co ysical remergency egarding egarding egarding egarding egarding egarding egarding estates 32-egarding bject, the sed logic	claims 1, 22, 43, 68-69, Nissila teaches a eiving body physical reaction data from tomparing stress level information and physication in subject; said apparatus being opsituation and to enter an alarm state (col. claims 2, 23, Nissila teaches the step of the claims 3-4, 44-45, Nissila teaches the step claims 5-9, 24-28, 46-50, Nissila teaches claims 10-21, 29-31, 51-64, 66-67, Nissila units placed on subjects, alarm, audio characteristics and the step of the claims 32-42, 65, Prezioso teaches a system subject being expected to follow certain to detect non-compliance with behavior	ne subject, a comparator unit, associated with sical reaction data, to detect substantially simularable to threshold said simultaneous detection 6, lines 15-40). The sholding is a thresholding of changes (col. 6, of attachment to subject (col. 6, line 57). The substantial input comprises an acceleration of the state of the sta	tress input unit and physical input taneous stress level change and a to infer the presence of an lines 25-31). (col. 6, lines 47-67). ometer, input unit is responsive to 488). body sensor for location on a sable in combination with said ru

#_____

- 8. Emergency situation detection apparatus according to claim 1, configured to interpret extremely low stress level information as said subject being in a state of sleep.
- Emergency situation detection apparatus according to claim 1, wherein said physical input unit comprises an inclination detector affixed to said subject.
- Emergency situation detection apparatus according to claim 1,
 wherein said physical input unit comprises an accelerometer.
- 11. Emergency situation detection apparatus according to claim 1, wherein said input unit is responsive to transmitter units placed on said subjects.
- 12. Emergency situation detection apparatus according to claim 1, wherein said alarm state comprises automatic opening of a communication channel to a central controller.
- 13. Emergency situation detection apparatus according to claim 1, wherein said alarm state comprises automatic opening of an audio channel to a central controller.
- 14. Emergency situation detection apparatus according to claim 13, wherein an end of said audio channel is located on said subject.
- 15. Emergency situation detection apparatus according to claim 13, wherein said alarm state comprises automatic opening of a video link to a central controller.